

Chassis Monitor

Chassis Monitor



23.1" (4:3)

Specifications




Model Name	R23L100-CHS1
Viewable Size Image	23.1"(4:3)
Active Display Area(mm)	470.4(H)x352.8(V)
Pixel Pitch(mm)	0.294(H) x 0.294(V)
Number of Pixels	1600x1200
Contrast Ratio	600:1(typ.)
Display Color	16.7M(8bit/colors)
Brightness(cd/m ²)	500(typ.)
Viewing Angle(CR>=10)	-85~85(H); -85~85(V)
Synchronization Range	
Horizontal/Vertical	31.5~80.0KHz/60~75Hz
Recommended Resolution	1600x1200@ 60Hz
Signal Connector	15 pin D-sub
Power Source	12V DC in, with External AC to DC Adapter (100~240V AC)
Power Consumption	85W typical, normal operation
Power Management	VESA DPMS Compliant
Plug & Play	VESA DDC 1/2B
Optional Video Input	S-Video, Composite
Optional DVI Input	Yes
Optional Touch Screen	No

Remarks:R23L100 series= VGA Input only

R23L110series= VGA+Video Input

Mechanical Drawing



* Note: this is a simplified drawing and some components are not marked in detail.
Please contact our sales representative if you need further product information.

Revised date: 24-Jun-2016 V1.6