

UHD Chassis Monitor

UHD Chassis Monitor (8 Megapixel Monitor)




39"(16:9)

Specifications



Model Name	W39L100-CHM1
Viewable Size Image	39"(16:9)
Active Display Area(mm)	853.92 (H) x 480.33 (V)
Pixel Pitch(mm)	0.074125 (H) x 0.222375 (V)
Number of Pixels	3840x2160
Contrast Ratio	5000:1(typ.)
Display Color	1.07G colors (8-bit+FRC)
Brightness(cd/m ²)	350(typ.)
Viewing Angle(CR>=10)	-88~88(H);-88~88(V)
Recommended Resolution	3840x2160@ 30Hz
Signal Connector	<ul style="list-style-type: none"> • HDMI x 1,with HDMI 1.4 Cable, support to UHD (3840x2160@30Hz) • Display Port x 1 , support to UHD (3840x2160@30Hz) • DVI x 1 , with dual link cable, support to UHD (3840x2160@30Hz) • D-Sub x 1 , support to FHD (1920x1080@60Hz)
Power Source	DC 24V in, with External AC to DC Adapter (100~240V AC)
Power Consumption	90w typical,normal,operation
Power Management	VESA DPMS Compliant
Plug & Play	VESA DDC 1/2B
Optional Touch Screen	NO

Mechanical Drawing (without touch)



* Note: this is a simplified drawing and some components are not marked in detail. Please contact our sales representative if you need further product information.

Revised date: 24-Jun-2016 V1.6